Subject index

Al–Mg granulites, 709
Alpine orogenesis, 453
amphibolite, 591
Antarctica, 143, 307
anticlockwise *P–T* path, 49
$^{40}Ar/^{39}Ar$ ages, 361
$^{40}Ar/^{39}Ar$ geochronology, 635
Archaean, 659, 667,709
Argentina, 509
Arunta Block, 29, 335, 413
Arunta Inlier, 143

Bamble sector, 267
Barrovian sequence, 163
berthierine, 125
Bohemian Massif, 49
Botswana Limpopo belt, 183
Buck Creek ultramafic body, 103

Cabo Ortegal, 227
calcsilicate rocks, 613
carbonaceous material, 115
carbonatites, 763
central Australia, 143, 335
chemical zoning, 427
Chile, 509
China, 319
chlorite, 125
closure temperature, 453
CO_2-fluid inclusions, 307
computer animation, 3
computer graphics, 3
contact metamorphism, 267, 289
cordierite, 467
core complex formation, 361
corundum + quartz, 755
crenulation cleavage, 3, 15

decompression *P–T* path, 361
deformation history, 15
deformation, 477
dehydration melting, 591
diffusion, 493
diffusion-controlled growth, 427
ductile deformation, 227
Dutchess County, New York, 163
dykes, 565

Eastern Alps, 453
eclogite, 493, 549
epidote amphibolite facies/greenschist facies transition, 85
excess argon, 493
extensional tectonics, 361

F-phlogopite, 725
Fe–Mg exchange equilibria, 75
fluid flows, 289, 477
fluid inclusions, 783
fluid infiltration, 163

gabbroic granulite–amphibolite, 249
garnet peridotites, 61
garnet, 75, 125, 427
gedrite, 183, 739
geochemistry, 213
geochronology, 493
geopiezometry, 227
geothermobarometer, 581, 635
gold, 783
grain growth, 155
granite, 361
granulite facies metamorphism, 565
granulite facies, 29, 267, 441, 531
granulite, 319, 591, 693, 739
granulites, 763
granulitic metamorphism, 659
graphite fracture separation, 399
graphite microfolds and micro kink bands, 399
Grenville Province marble, 399

high-*P* metamorphism, 453
high-pressure metamorphism, 85, 227, 549
high-*T* and low-*P* metamorphism, 335
high-*T* metamorphism, 319
high-*T*–low-*P* metamorphism, 249
high-temperature, high-pressure granulite, 755
Himalayan metamorphism, 635
Hoggar, 467, 659, 693, 739, 755, 763
hydration, 467

In Ouzzal, 693, 725, 739, 755, 763, 783
Indonesia, 549
infiltration, 613
intracrystalline diffusion, 427
ion probe, 61
isobaric cooling, 183
isotope geochemistry, 709, 763, 783

Lascar Volcano, 509
late-orogenic extension, 49
leucosomes, 307, 565
low- to high-quartz transition, 581
low-*P* metamorphism, 49, 143
low-*P*/high-*T* metamorphism, 413

magma accumulation, 565
magma channelways, 565
magma loading, 441
magma migration, 565
magmatic arc metamorphism, 249
magnetite-bearing quartzite, 755
Main Central Thrust, 635
major-trace-isotope geochemistry, 667
manganiferous schists, 125
marble fabric, 155
marbles, 289, 613
mass balance analysis, 591
mathematica, 3
melting, 413
metamorphic and magmatic garnet, 453
metamorphic fluids, 613
metamorphic grade, 115

metamorphic reactions, 289
metapelitic rocks, 163
metasediments, 709
metasomatism, 335, 763
microstructure, 143
microthermometry, 183
migmatite, 413, 591
migmatites, 307
millipede microstructure, 3, 15
mineral composition, 249
mineral inclusions in metapelitic garnet, 267
mylonitic marble, 399
mylonitization, 213

Nabitah Mobile Belt, 613
New Zealand, 441
northern Chile, 249
northern Dabie terrane, 319

oppositely concave microfolds, 3, 15
orthoamphibole, 467
orthopyroxene, 467

P–T conditions, 549
P–T grids, 725
P–T path, 693, 739
P–T–t path, 143
P–T–t paths, 453
Palaeoproterozoic, 667
Pan-African tectonism, 659
paragonite–hornblende assemblage, 85
permeability, 477
phase analysis, 183
polymetamorphism, 143
porphyroblast growth, 15
porphyroblast rotation, 15
porphyroblastic manganaxinite metapelagites, 125
porphyroblasts, 3
Precambrian, 739
prehnite–pumpellyite facies, 125
pressure transfer (calcite, dolomite), 399
Proterozoic, 29, 335, 413
pumpellyite, 125

quartz, 581, 591

Raman spectrum, 115
rare earth elements, 213
reaction progress, 591
reactions, 143
regional metamorphism, 477
regular model, 75
retrograde metamorphism, 549
retrogression, 29
Ryoke metamorphic belt, 427

sapphirine, 103
sapphirine-granulites, 725
Saualpe–Koralpe basement, 453
Schneeberg Complex, 85
second-phase particles, 155
serial thin sections, 3
shear zone, 783
shear zones, 213
SHRIMP dating, 335
SHRIMP U–Pb zicron, 667
SHRIMP, 29
skarn, 509
Sm–Nd chronology, 61
Sm–Nd geochronology, 453
Spain, 227
spiral-shaped inclusion trails, 15
Sr–Nd–Pb geochronology, 667
stable isotopes, 289
strain states, 15
subgrain boundaries, 581
Sudetes, 531
Sveconorwegian metamorphism, 267
Symplectites, 103
synorogenic extension, 635

T–t path, 361
Taiwan, 115
tectonics, 335
temperature–time path, 427
thermobarometry, 163, 531
thermodynamics, 75
Torlesse Terrane, 125
trace elements, 61
troctolite, 103

U–Th–Pb geochronology, 29
ultrahigh-temperature metamorphism, 693

Variscan Belt, 531
Variscan, 49
very-high-temperature metamorphism, 667

Western Alps, 493

Yacoraite Formation, 509

zoned garnets, 61

Author index

Abalos, B., Azcarraga, J., Gil Ibarguchi, J. I., Mendia, M. S. & Santos Zalduegui, J. F. Flow stress, strain rate and effective viscosity evaluation in a high-pressure metamorphic nappe (Cabo Ortegal, Spain), 227
Aley El-Din K. El-Shazly. Reply. Petrology of Fe–Mg-carpholite-bearing metasediments from NE Oman, 386
Al-Filali, I. Y. *see* Droop, G. T. R.
Azcarraga, J. *see* Abalos, B.

Bakun-Czubarow, N. *see* Brueckner, H. K.
Bell, T. H. *see* Johnson, S. E.
Bergfeld, D., Nabelek, P. I., Labotka, T. C. Carbon isotope exchange during polymetamorphism in the Panamint Mountains, California, USA, 199
Bernard-Griffiths, *see* Peucat, J.-J.
Bernard-Griffiths, J., Fourcade, S., Kienast, J.-R., Peucat, J.-J., Martineau, F. & Rahmani, A. Geochemistry and isotope (Sr, Nd, O) study of Al–Mg granulites from the In Ouzzal Archaean block (Hoggar, Algeria), 709
Bland, M. *see* Greenfield, J. E.

Blusztajn, J. *see* Brueckner, H. K.
Boiron, M.-C. *see* Marignac, Ch.
Boumaza, S. *see* Ouzegane, K.
Brown, E. H. High-pressure metamorphism caused by magma loading in Fiordland, New Zealand, 441
Brown, M. & Dallmeyer, R. D. Rapid Variscan exhumation and the role of magma in core complex formation: southern Brittany metamorphic belt, France, 361
Brueckner, H. K., Blusztajn, J. & Bakun-Czubarow, N. Trace elements and Sm–Nd 'age' zoning in garnets from peridotites of the Caledonian and Variscan Mountains and tectonic implications, 61
Buick, I. S. *see* Cartwright, I.; Williams, I. S.
Burke, E. A. J. *see* Giorgetti, G.

Caby, R. A review of the In Ouzzal granulitic terrane (Tuareg shield, Algeria): its significance within the Pan-African Trans-Saharan belt, 659
Capdevila, R. *see* Peucat, J.-J.
Cartwright, I. *see* Vry, J.; Williams, I. S.
Cartwright, I. & Buick, I. S. Determining the direction of contact metamorphic fluid flow: an assessment of mineralogical and stable isotope criteria, 289
Choukroune, R. *see* Peucat, J.-J.
Clark, D. J. *see* Greenfield, J. E.
Clarke, G. L. *see* Greenfield, J. E.
Collins, W. J. & Sawyer, E. W. Pervasive granitoid magma transfer through the lower–middle crust during non-coaxial compressional deformation, 565
Compston, W. *see* Vry, J.
Condie, K. C. & Sinha, A. K. Rare earth and other trace element mobility during mylonitization: a comparison of the Brevard and Hope Valley shear zones in the Appalachian Mountains, USA, 213
Coombs, D. S., Kawachi, Y. & Ford, P. B. Porphyroblastic manganaxinite metapelagites with incipient garnet in prehnite–pumpellyite facies, near Meyers Pass, Torlesse Terrane, New Zealand, 125
Cottin, J.-Y. *see* Guiraud, M.
Crowley, P. D. *see* Mas, D. L.

Dallmeyer, R. D. *see* Brown, M.
Dilek, Y. R. *see* Whitney, D. L.
Djemai, S. *see* Ouzegane, K.
Drareni, A. *see* Peucat, J.-J.
Droop, G. T. R. & Al-Filali, I. Y. Interaction of aqueous fluids with calcareous metasediments during high-T, low-P regional metamorphism in the Qadda area, southern Arabian Shield, 613

Fanning, C. M. *see* Peucat, J.-J.
Ford, P. B. *see* Coombs, D. S.
Fourcade, S. *see* Bernard-Griffiths, J.; Marignac, Ch.; Peucat, J.-J.
Fourcade, S., Kienast, J.-R. & Ouzegane, K. Metasomatic effects related to channelled fluid streaming through deep crust: fenites and associated carbonatites (In Ouzzal Proterozoic granulites, Hoggar, Algeria), 763
Franz, G. *see* Lucassen. F.
Frezzotti, M.-L. E. *see* Giorgetti, G.

Gardeweg, M. C. *see* Matthews, S. J.
Gil Ibarguchi, J. I. *see* Abalos, B.
Giorgetti, G., Frezzotti, M.-L. E., Palmeri, R. & Burke, E. A. J. Role of fluids in migmatites: CO_2–H_2O fluid inclusions in leucosomes from the Deep Freeze Range migmatites (Terra Nova Bay, Antarctica), 307
Grange, F. K. *see* Matthews, S. J.
Greenfield, J. E., Clarke, G. L., Bland, M. & Clark, D. J. *In-situ* migmatite and hybrid diatexite at Mt Stafford, central Australia, 413
Guiraud, M. *see* Mouri, H.; Ouzegane, K.; Pitra, P.
Guiraud, M. & Powell, R. How well known are the thermodynamics of Fe–Mg–Ca garnet? Evidence from experimentally determined exchange equilibria, 75
Guiraud, M., Kienast, J.-R. & Ouzegane, K. Corundum–quartz-bearing assemblage in the Ihouhaouene area (In Ouzzal, Algeria, 755
Guiraud, M., Powell, R. & Cottin, J. Y. Hydration of orthopyroxene–cordierite-bearing assemblages at Laouni, Central Hoggar, Algeria, 467

Hartel, T. H. D. & Pattison, D. R. M. Genesis of the Kapuskasing (Ontario) migmatite mafic granulites by dehydration melting of amphilbolite: the importance of quartz to reaction progress, 591
Hensen, B. J. *see* Mouri, H.
Hisada, k. & Miyano, T. Petrology and microthermometry of aluminous rocks in the Botswanan Limpopo Central Zone: evidence for isothermal decompression and isobaric cooling, 183
Hodges, K. V. *see* Vannay, J.-C.
Hoinkes, G. *see* Konzett, I.
Huang, E. *see* Yui, T.-F.

Johnson, S. E. & Bell, T. H. How useful are 'millipede' and other similar porphyroblast microstructures for determining synmetamorphic deformation histories?, 15
Johnson, S. E. & Moore, R. R. De-bugging the 'millipede' porphyroblast microstructure: a serial thin-section study and 3-D computer animation, 3
Joron, M.-C. *see* Marignac, Ch.

Kawachi, Y. *see* Coombs, D. S.
Kelley, S. P. *see* Reddy, S. M.
Kemp, A. J. *see* Matthews, S. J.
Kienast, J.-R. *see* Bernard-Griffiths, J.; Marignac, Ch.; Fourcade, S.; Guiraud, M.
Knudsen, T.-L. Petrology and geothermobarometry of granulite facies metapelites from the Hisøy–Torungen area, south Norway: new data on the Sveconorvegian P–T–t path of the Bamble sector, 267
Konzett, I. & Hoinkes, G. Paragonite–hornblende assemblages and their petrological significance: an example from the Austroalpine Schneeberg Complex, Southern Tyrol, Italy, 85
Kretz, R. Graphite deformation in marble and mylonitic marble, Grenville Province, Canadian Shield, 399
Kruhl, J. H. Prism- and basal-plane parallel subgrain boundaries in quartz: a microstructural geothermobarometer, 581
Kryza, R., Pin, C. & Vielzeuf, D. High-pressure granulites from the Sudetes (south-west Poland): evidence of crustal subduction and collisional thickening in the Variscan Belt, 531
Kuehner, S. M. *see* Whitney, D. L.

Labotka, T. C. *see* Bergfeld, D.
Liou, J. G. *see* Zhang, R. Y.
Lucassen, F. & Franz, G. Magmatic arc metamorphism: petrology and temperature history of metabasic rocks in the Coastal Cordillera of northern Chile, 249

Marignac, Ch., Semiani, A., Fourcade, S., Boiron, M.-C., Joron, J.-L., Kienast, J. R. & Peucat, J.-J. Metallogenesis of the late Pan-African gold-bearing East Ouzzal shear zone (Hoggar, Algeria), 783
Marquillas, R. A. *see* Matthews, S. J.
Martineau, F. *see* Bernard-Griffiths, J.
Mas, D. L. & Crowley, P. D. The effect of second-phase particles on stable grain size in regionally metamorphosed calcite marbles, 155
Matthews, S. J., Marquillas, R. A., Kemp, A. J., Grange, F. K. & Gardeweg, M. C. Active skarn formation beneath Lascar Volcano, northern Chile: a petrographic and geochemical study of xenoliths in eruption products, 509
Mechum, T. A. *see* Whitney, D. L.
Mendia, M. S. *see* Abalos, B.
Miller, CH. *see* Thöni, M.
Miyano, T. *see* Hisada, K.
Miyazaki, K., Zulkarnain, I., Sopaheluwakan, J. & Wakita, K. Pressure–temperature conditions and retrograde paths of eclogites, garnet–glaucophane rocks and schists from South Sulawesi, Indonesia, 549
Moore, R. R. *see* Johnson, S. E.
Mouri, H., Guiraud, M. & Hensen, B. J. Petrology of phlogopite–sapphirine-bearing Al–Mg granulites from Ihouhaouene, In-Ouzzal, Hoggar, Algeria: an example of phlogopite stability at high temperature, 725

Nabelek, P. I. *see* Bergfeld, D.

Okudaira, T. Temperature–time path for the low-pressure Ryoke metamorphism, Japan, based on chemical zoning in garnet, 427
Oliver, N. H. S. Review and classification of structural controls on fluid flow during regional metamorphism, 477
Ouzegane, K. *see* Fourcade, S.; Guiraud, M.
Ouzegane, K. & Boumaza, S. An example of ultrahigh-temperature metamorphism: orthopyroxene–sillimanite–garnet, sapphirine–quartz and spinel–quartz parageneses in Al–Mg granulites from In Hihaou, In Ouzzal, Hoggar, 693
Ouzegane, K., Djemai, S. & Guiraud, M. Gedrite–garnet–sillimanite-bearing granulites from Amessmessa area, south In Ouzzal, Hoggar, Algeria, 739

Palmeri, R. *see* Giorgetti, G.
Pattison, D. R. M. *see* Hartel, T. H. D.
Peucat, J.-J. *see* Bernard-Griffiths, J.; Marignac, Ch.
Peucat, J.-J., Capdevila, R., Drareni, A., Choukroune, R., Fanning, C. M., Bernard-Griffiths, J. & Fourcade, S. Major and trace element geochemistry and isotope (Sr, Nd, Pb, O) systematics of an Archaean basement involved in a 2.0 Ga very high-temperature (1000 °C) metamorphic event: In Ouzzal Massif, Hoggar, Algeria, 667
Pin, C. *see* Kryza, R.
Pitra, P. & Guiraud, M. Probable anticlockwise *P–T* evolution in extending crust: Hlinsko region, Bohemian Massif, 49
Powell, R. *see* Guiraud, M.

Rahmani, A. *see* Bernard-Griffiths, J.
Reddy, S. M., Kelley, S. P. & Wheeler, J. A. $^{40}Ar/^{39}Ar$ laser probe study of micas from the Sesia Zone, Italian Alps: implications for metamorphic and deformation histories, 439
Ryan, J. G. *see* Tenthorey, E. A.

Santos Zalduegui, J. F. *see* Abalos, B.
Sawyer, E. W. *see* Collins, W. J.
Semiani, A. *see* Marignac, Ch.
Sinha, A. K. *see* Condie, K. C.
Snow, E. A. *see* Tenthorey, E. A.
Sopaheluwakan, J. *see* Mivazaki, K.

Tenthorey, E. A., Ryan, J. G. & Snow, E. A. Petrogenesis of sapphirine-bearing metatroctolites from the Buck Creek ultramafic body, southern Appalachians, 103
Theye, T. *see* Vidal, O.
Thöni, M. & Miller, CH. Garnet Sm–Nd data from the Saualpe and the Koralpe (Eastern Alps, Austria): chronological and *P–T* constraints on the thermal and tectonic history, 453
Tsai, C.H. *see* Zhang, R.Y.

Vannay, J.-C. & Hodges, K. V. Tectonometamorphic evolution of the Himalayan metamorphic core between the Annapurna and Dhaulagiri, central Nepal, 635
Vernon, R. H. Problems with inferring *P–T–t* paths in low granulite facies rocks, 143
Vidal, O. & Theye, T. Discussion. Petrology of Fe–Mg-carpholite-bearing metasediments from NE Oman, 381
Vielzeuf, D. *see* Kryza, R.
Vry, J., Compston, W. & Cartwright, I. SHRIMP II dating of zircons and monazites: reassessing the timing of high-grade metamorphism and fluid flow in the Reynolds Range, northern Arunta Block, Australia, 335.

Wakita, K. *see* Miyazaki, K.
Walther, J. V. Fluid production and isograd reactions at contacts of carbonate-rich and carbonate-poor layers during progressive metamorphism, 351
Wheeler, J. A. *see* Reddy, S. M.
Whitney, D. L., Mechum, T. A., Kuehner, S. M. & Dilek, Y. R. Progressive metamorphism of pelitic rocks from protolith to granulite facies, Dutchess County, New York, USA: constraints on the timing of fluid infiltration during regional metamorphism, 163
Williams, I. S., Buick, I. S. & Cartwright, I. An extended episode of early Mesoproterozoic metamorphic fluid flow in the Reynolds Range, central Australia, 29

Xu, J. *see* Yui, T.-F

Yui, T.-F., Huang, E. & Xu, J. Raman spectrum of carbonaceous material: a possible metamorphic grade indicator for low-grade metamorphic rocks, 115

Zhang, R. Y., Liou, J. G. & Tsai, C. H. Petrogenesis of a high-temperature metamorphic terrane: a new tectonic interpretation for the north Dabieshan, central China, 319
Zulkarnain, I. *see* Miyazaki, K.